



Republic of the Philippines  
GENERAL SANTOS CITY WATER DISTRICT  
E. Fernandez Street, Barangay Lagao General Santos  
Telephone No.: 552-3824; Telefax No.: 553-4960  
Email Address: gscwdprocurement@yahoo.com

GPM-014-2

**REQUEST FOR QUOTATION**

RFQ #: 3-0120-018      DATE: 01/09/2020

SUPPLIER: \_\_\_\_\_  
ADDRESS: \_\_\_\_\_  
TELEPHONE NO. : \_\_\_\_\_  
TIN NO. : \_\_\_\_\_

Dear Sir/Madam,

Pls. quote your lowest price on the item/s listed below subject to general condition stating the shortest time of delivery and submit your quotation duly signed by your representative not later than 01/15/2020, Pls. furnish this office the following articles subject to the terms and conditions contained therein.

ITEM NO.	DESCRIPTION	QTY.	UNIT	UNIT PRICE
1	FILE SERVER : PLEASE SEE THE ATTACHED SPECIFICATIONS-ABC: PHP 150,000.00 ##### nothing follows #####	1	sets	P

Date of Delivery: \_\_\_\_\_  
Price Validity : \_\_\_\_\_  
Terms of Payment: \_\_\_\_\_

Place of Delivery: GSCWD Bodega

\*\*\*\*\*No partial delivery allowed\*\*\*\*

Note: 6% WITHHOLDING TAX DEDUCTION

PR NO.: 0120-014

Requested by:

Price quoted by:

\_\_\_\_\_  
Supplier

\_\_\_\_\_  
Date

*[Handwritten signature]*  
GENERAL SANTOS CITY WATER DISTRICT  
OFFICE OF THE DISTRICT ENGINEER  
GENERAL SANTOS



January 8, 2019

Disk Station	SPECIFICATIONS
<b>Processor</b>	2.4 GHz Intel Atom C2538 Quad-Core
<b>Hardware Encryption Engine (AES-NI)</b>	Yes
<b>System Memory</b>	6 GB
<b>Memory Module Pre-Installed</b>	(2 GB + 4 GB)
<b>Total Memory Slots</b>	2
<b>Type</b>	rack-mountable
<b>Drive Bays</b>	8
<b>Compatible Drive Types</b>	3.5" SATA(III) / SATA(II) HDD 2.5" SATA(III) / SATA(II) HDD 2.5" SATA(III) / SATA(II) SSD
<b>Max. Internal Capacity</b>	24 TB (6 TB HDD X 4) (Capacity may vary by RAID types)
<b>Hot Swappable Drives</b>	Yes
<b>RJ-45 1GbE LAN Port</b>	4 (with Link Aggregation / Failover support)
<b>USB 3.0 Ports</b>	2
<b>eSATA Ports</b>	1
<b>Internal Drives File System</b>	EXT4
<b>External Drives File System</b>	EXT4 EXT3 FAT NTFS HFS+
<b>System Fan</b>	40 mm X 40 mm X 3 pcs
<b>Power Supply Unit / Adapter</b>	250 W
<b>AC Input Power Voltage</b>	100 to 240 VAC
<b>Security</b>	Antivirus and Firewall
<b>Utilities</b>	Synology Assistant
<b>Supported Clients</b>	Windows 7 or above Mac OS X 10.10 or above
<b>Cloud Station</b>	Yes
<b>Maximum Internal Volume Number</b>	512
<b>Maximum iSCSI Target Number</b>	32
<b>Maximum iSCSI LUN</b>	256
<b>iSCSI LUN Clone/Snapshot, Windows ODX</b>	Yes
<b>Supported RAID Type</b>	Synology Hybrid RAID,Basic,JBOD,RAID 0,RAID 1,RAID 5,RAID 6,RAID 10
<b>RAID Migration</b>	Basic to RAID 1 Basic to RAID 5 RAID 1 to RAID 5 RAID 5 to RAID 6
<b>Volume Expansion with Larger HDDs</b>	Synology Hybrid RAID,RAID 1,RAID 5,RAID 6
<b>Volume Expansion by Adding a HDD</b>	Synology Hybrid RAID,RAID 5,JBOD,RAID 6 (with Expansion Unit RX415)
<b>Global Hot Spare Supported RAID Type</b>	Synology Hybrid RAID,RAID 1,RAID 5,RAID 6 (with Expansion Unit), RAID 10 (with Expansion Unit)
<b>SSD Read/Write Cache</b>	Yes
<b>SSD TRIM</b>	Yes
<b>Maximum Local User Accounts</b>	2048



Republic of the Philippines  
**GENERAL SANTOS CITY WATER DISTRICT**  
E. Fernandez St., General Santos City  
Tel. Nos. 301-0542, 552-3824, 554-7231, 553-4960  
Telefax No. (083) 553-4960

<i>Maximum Local Groups</i>	256
<i>Maximum Shared Folders</i>	512
<i>Maximum Shared Folder Sync Tasks</i>	8
<i>Maximum Concurrent CIFS/AFP/FTP Connections</i>	512
<i>Windows Access Control List (ACL) Integration</i>	Yes
<i>NFS Kerberos Authentication</i>	Yes
<i>High Availability Manager</i>	Yes
<i>VMware vSphere 5 with VAAI</i>	Yes
<i>Windows Server 2012</i>	Yes
<i>Windows Server 2012 R2</i>	Yes
<i>Citrix Ready</i>	Yes
<i>Size</i>	44 mm X 430.5 mm X 457.5 mm
<i>Additional requirements</i>	With 4 unit Hard disk( 2TB each ) Free installation and user training 2 Years Support Warranty (Parts and Services) Rail Kit Sliding Rail Kit Mounted

Prepared by:

Noted by:

  
**WARDEY S. ELIANG**  
Data Controller

  
**ENGR. MICHAEL B. GABALES**  
Immediate Supervisor