



Republic of the Philippines
GENERAL SANTOS CITY WATER DISTRICT
E. Fernandez Street, Barangay Lagao General Santos
Telephone No.: 552-3824; Telefax No.: 553-4960
Email Address: gscwdprocurement@yahoo.com

GPM-014-2

REQUEST FOR QUOTATION

RFQ #: 3-0220-007 DATE: 02/04/2020

SUPPLIER: _____
ADDRESS: _____
TELEPHONE NO. : _____
TIN NO. : _____

Dear Sir/Madam,

Pls. quote your lowest price on the item/s listed below subject to general condition stating the shortest time of delivery and submit your quotation duly signed by your representative not later than 02/10/2020, Pls. furnish this office the following articles subject to the terms and conditions contained therein.

ITEM NO.	DESCRIPTION	QTY.	UNIT	UNIT PRICE
1	WEIGHING SCALE : PLEASE SEE ATTACHED FILES-ABC: PHP 80,000.00 ##### nothing follows #####	1	unit	P

Date of Delivery: _____
Price Validity : _____
Terms of Payment: _____

Place of Delivery: GSCWD Bodega

****No partial delivery allowed****

Note: 6% WITHHOLDING TAX DEDUCTION

PR NO.: 0120-016

Requested by:

Price quoted by:

an
GESE A. BAÑEF
MATERIAL PROCUREMENT
OFFICER A

Supplier

Date

TECHNICAL SPECIFICATIONS



Title: PURCHASE OF BRAND NEW DIGITAL WEIGHING SCALE

FEATURES:

- Has vivid backlit easily visible in any lighting condition.
- The programmable backlight can be set to “always on”, “always off” or “light only when weighing”.
- Has Colour-coded keys facilitate quick recognition of the most frequently used buttons.
- Material is large grade 304 stainless steel pan allows easy cleaning.
- Lightweight design simplifies transport and portability.
- Rugged construction stands up to industrial use.
- Splash-proof housing, keypad and display mean easy cleaning and peace of mind.
- Wall mount bracket placing indicator on vertical surface.
- Auto-power off to save energy.
- External calibration allows for verification and adjustment with weights.
- Hold function freezes the display weight, allowing time to lapse without losing the result.
- Selectable digital helps minimise effects of vibration and disturbances.
- Zero tracking feature ensures display returns to zero reading.

Specification	Requirement
1. Capacity	200 kg
2. Readability	0.05 kg
3. Repeatability	50 g
4. linearity	100 g
5. Tare Range	Full range
6. Pan Size	500mm x 500mm
7. Weighing units	Kg, lbs, oz
8. Stabilisation time (sec)	2 sec




Republic of the Philippines
GENERAL SANTOS CITY WATER DISTRICT
E. Fernandez St., Lagao, General Santos City

9. Interface	RS-232
10. Calibration	External Calibration
11. Display	Backlit LCD with 22mm high digits
12. Power Supply	12VAC 150mA adapter / 6xAA batteries
13. Temperature	0° to 40 °C
14. Housing	Extruded Aluminium


Terms & Conditions:

1. Supply, delivery and commissioning of the unit.
2. The supplier shall provide a warranty certificate of not less than one (1) year and shall commence from the date of final acceptance.
3. The unit shall be brand new and if the unit will not function after commissioning, the supplier shall replace without cost to the owner GSCWD.
4. Delivery period shall be 45-60 days upon the receipt of the confirmed Purchase Order.

Prepared By:


Engr. Duanie R. Enerio
WUDO-A

Approved By:


Engr. Rogelio A. Besana Jr., CE/RMP
Eng'g. & Construction Dept. Manager A