



Republic of the Philippines
GENERAL SANTOS CITY WATER DISTRICT
 E. Fernandez Street, Barangay Lagao General Santos
 Telephone No.: 552-3824; Telefax No.: 553-4960
 Email Address: gscwdprocurement@yahoo.com

GPM-014-2

REQUEST FOR QUOTATION

RFQ #: 3-0520-022 DATE: 5/8/2020

SUPPLIER: _____
 ADDRESS: _____
 TELEPHONE NO. : _____
 TIN NO. : _____

Dear Sir/Madam,

Pls. quote your lowest price on the item/s listed below subject to general condition stating the shortest time of delivery and submit your quotation duly signed by your representative not later than 5/14/2020, Pls. furnish this office the following articles subject to the terms and conditions contained therein.

ITEM NO.	DESCRIPTION	QTY.	UNIT	UNIT PRICE
1	SUBMERSIBLE MOTOR* : PLS. SEE ATTACHED SPECIFICATION; ABC PHP250,000.00 ##### nothing follows #####	1	unit	P

Date of Delivery: _____
 Price Validity : _____
 Terms of Payment: _____

Place of Delivery: GSCWD Bodega
 *****No partial delivery allowed*****
 Note: 6% WITHHOLDING TAX DEDUCTION
 PR NO.: 0520-006

Requested by:

EUSEBIO M. BAÑER
 WATER PROCUREMENT OFFICER A

Price quoted by:

 Supplier

 Date



TECHNICAL SPECIFICATION

TITLE: PURCHASE OF ONE (1) UNIT BRAND NEW SUBMERSIBLE MOTOR

1.0 SCOPE OF CONTRACT

The scope shall be supply, and delivery of one (1) unit submersible motor to General Santos City Water District (GSCWD).

2.0 SUBMERSIBLE MOTOR REQUIREMENTS

Particulars	Requirement
Motor Rating, HP (kW)	50HP (37kW)
Frequency (Hz)	60
Rated Voltage (Volts)	460
Phase	3
Service Factor	1.15
Power Factor(4/4)	0.80
Design point	3400-3600 RPM
Winding	Encapsulated in anti-tracking resin (non-rewindable)
Stator area	Hermetically-sealed
Water-block lead	Removable connection
Flange design	Double
Shell	Stainless Steel
Shaft	Splined stainless steel
Thrust bearing	water lubricated



Diaphragm	Pressure equalizing
Slinger	Sand Fighter
Lead wire configurations	3
Bar rotor	Copper
Minimum Motor Resistance (Mega ohms)	1000 for not spliced, not submerged; and 500 or above for submerged

3.0 TERMS AND CONDITIONS

- a) The scope of work shall be supply and delivery of one (1) unit submersible motor to General Santos City Water District (GSCWD).
- b) The winning bidder is required to submit actual documents (manuals, data sheets, manufacturer's test results, name plate specifications and etc.) of the unit.
- c) Prior to the installation, the winning bidder shall be informed for the warranty purposes.
- d) The winning bidder shall deliver the submersible motor within **thirty (30)** calendar days upon receipt of Purchase Order (PO).
- e) The winning bidder shall be subjected to Liquidated Damages (LD) for each day of delay as provided by the IRR of RA 9184.
- f) The submersible motor must comply with PEC standard as to their current rating with load and without load.
- g) That the winning bidder shall issue a warranty certificate of not less than one (1) year and the warranty shall commence from the date of commissioning of the pumping equipment.



Republic of the Philippines
GENERAL SANTOS CITY WATER DISTRICT (GSCWD)
GSCWD Bldg., E. Fernandez Street, Lagao, General Santos City
Telephone No.: 552-3824/554-7231; Telefax No.: 553-4960
E-mail Address: gscwaterdistrict@yahoo.com



-
- h) That the bidder must have an available qualified and trained technicians 24/7 in case of equipment failure.

Prepared by:

EDMUND L. BADAL, REE
TWG – Member

Recommending Approval:

ROGELIO A. BESANA JR. C.E./RMP
Manager A – Engineering & Const'n. Dept.