



Republic of the Philippines  
**GENERAL SANTOS CITY WATER DISTRICT**  
 E. Fernandez Street, Barangay Lagao General Santos  
 Telephone No.: 552-3824; Telefax No.: 553-4960  
 Email Address: gscwdprocurement@yahoo.com

GPM-014-4

**REQUEST FOR QUOTATION**

RFQ #: 3-0624-044      DATE: 6/21/2024

SUPPLIER: \_\_\_\_\_  
 ADDRESS: \_\_\_\_\_  
 TELEPHONE NO. : \_\_\_\_\_  
 TIN NO. : \_\_\_\_\_

Dear Sir/Madam,

Pls. quote your lowest price on the item/s listed below subject to general condition stating the shortest time of delivery and submit your quotation duly signed by your representative not later than 6/25/2024, Pls. furnish this office the following articles subject to the terms and conditions contained therein.

Instructions :

1. Accomplish this Request for Quotation duly, correctly, and completely.
2. Do not alter the contents of this form in any way.
3. If Technical Specifications/ Terms of Reference is provided, prospect bidder (supplier / service provider) must indicate and signify compliance to every parameter in the specification.

ITEM NO.	DESCRIPTION	QTY.	UNIT	UNIT PRICE
1	COMBI FLANGE 200MM (8``) : WITH HOT DIP GALVANIZED BOLTS & NUTS; PLEASE SEE ATTACHED SPECIFICATIONS-ABC: PHP 200,000.00 ##### nothing follows #####	20	pcs	P

Date of Delivery: \_\_\_\_\_  
 Price Validity : \_\_\_\_\_  
 Mode of Payment: \_\_\_\_\_

Place of Delivery: GSCWD Bodega  
 \*\*\*\*\*No partial delivery allowed\*\*\*\*\*  
 Note: 6% WITHHOLDING TAX DEDUCTION  
 PR NO.: 0524-104

Requested by:



ANDREW H. NADAL, JR.  
 Material Procurement Officer A

Price quoted by:

\_\_\_\_\_  
 Supplier

\_\_\_\_\_  
 Date

# COMBI-FLANGE FOR PVC PIPES



### TECHNICAL SPECIFICATION:

1. DUCTILE IRON (GGG50) MATERIAL.
2. PN 16 WORKING PRESSURE.
3. EQUIPPED WITH HOT DIPPED GALVANIZED BOLTS AND NUTS.
4. EPDM RUBBER SEAL.
5. FUSION BONDED EPOXY COATING (RAL).
6. WITH WRAS CERTIFICATION.
7. INSTALL IN ANY WEATHER CONDITION.
8. WITH TEN (10) YEARS WARRANTY.

### MATERIAL SPECIFICATION:



NO	DESCRIPTION	MATERIAL
①	FLANGE	DUCTILE IRON
②	SEAL	EPDM RUBBER
③	BOLTS, NUTS AND WASHERS	HOT DIPPED GALVANIZED

### DIMENSIONS:

DN (MM)	Dd (MM)	FLANGE (DRILLING)	D (MM)
50	63	PN 16	165
80	90	PN 16	200
100	110	PN 16	220
150	160	PN 16	285
200	225	PN 16	340
250	280	PN 16	395
300	315	PN 16	445



## Combi Flange Gasket



### Specification:

1. Gasket – Solid EPDM Rubber Gasket

Prepared by:

  
Kevin J. Ante, MPA  
Clerk Processor B

Procurement, Quality Control and Property Division

*Safe Water... Our Thrust, Our Service, Our Commitment.*